



		Sparepart		1	2	3	4	5	6	7	8
	Handheld Indicator		INDIGO80							1	0
hardware	1 Power Supply Unit	USB-C cable only, no AC-adapter									
		Euro AC-adapter, including USB-C cable									
		UK AC-adapter, including USB-C cable									
		US AC-adapter, including USB-C cable									
		AUS AC-adapter, including USB-C cable									
accessory	2 Indicator Accessories	No Accessories									
		<i>Magnetic hanger for Indigo80 handheld indicator</i>	ASM214318SP								
	3 Connection Cables for Transmitters	No Connection Cables for Transmitters									
		<i>M12-M8 Service Cable</i>	262195SP								
	4 Connection Cables for Probes	No Connection Cables for Probes									
	<i>M12-M12 Probe Connection Cable</i>	272075SP									
	<i>Flat Cable</i>	CBL210493SP									
HW	5 Carrying Case	No Carrying Case									
		<i>Weatherproof Carrying Case for Indigo80 and HMP80 and DMP80 Series Probes</i>	ASM214759								
	7 Other Options	No Other Options									
	Japanese SW Version										

Note: **Selections in bold are included in the prices of the basic versions.**
• Selections in *italic* are available at an extra price.

Links: [User guide](#)
[Datasheet](#)
[Vaisala.com product page](#)
[Services \(online store\)](#)

Example of order code with typical settings:

	1	2	3	4	5	6	7	8
INDIGO80	A	7	N	A	1	N	0	

accessory
USB Service Cable M12-5F, RS-485
M12 - M8 service cable 1.5 m (4.9 ft)
Magnetic Hanger
Weatherproof Carrying Case for Indigo80 and HMP80 and DMP80 Series Probes
Flat Cable, M12-5(M) - M12-5(F), 1m
Connection cable, M12-5F - open wires, 0.3 m
Connection cable, M12-5F - open wires, 10 m
Connection cable, M12-5F - open wires, 1 m
Connection cable, M12-5F - open wires, 3 m
Connection cable, M12-5F - open wires, 5 m
Probe Connection Cable (M12-M12), 10 m
Probe Connection Cable, M12-5F - M12-5M, 1 m
Probe Connection Cable, M12-5F - M12-5M, 3 m
Probe Connection Cable, M12-5F - M12-5M, 5 m
Probe Connection Cable, M12-5F - M12-5M, 10 m, Hygienic Design
Probe Connection Cable, M12-5F - M12-5M, 3 m, Hygienic Design
Probe Connection Cable, M12-5F - M12-5M, 5 m, Hygienic Design
Indigo-compatible USB Adapter

item code
24269
262195SP
ASM214318SP
ASM214759
CBL210493SP
CBL210896-03MSP
CBL210896-10MSP
CBL210896-1MSP
CBL210896-3MSP
CBL210896-5MSP
INDIGOCABLE10M
INDIGOCABLE1M
INDIGOCABLE3M
INDIGOCABLE5M
INDIGOCABLEHD10M
INDIGOCABLEHD3M
INDIGOCABLEHD5M
USB2

VAISALA

HMP80 Handheld Humidity Probe



		Sparepart		1	2	3	4	5	6
hardware	Handheld Humidity Probe		HMP80						
	1 Probeset	Probe (106 mm) with HUMICAP R2C Sensor ¹ Long probe (319 mm) with HUMICAP R2C Sensor ²		N L					1 S O
accessory	2 Probe connection cables	No Cable			0				
		• M12-M12 Probe Connection Cable				1			
		• Flat probe connection cable	CBL210493SP				2		
hardware	3 Filter	Sintered Stainless Steel Filter ²	HM47280SP						A
		Plastic PPS Grid Filter ²	DRW010276SP						B
		PPS Grid With SS Netting ²	DRW010281SP						C
		Slotted MIM Filter ¹	DRW255306SP						D
		Slotted MIM Filter with Membrane ¹	ASM214606SP						E 1 S O

- 1) These filters fit the short probe
2) These filters fit the long probe

Note: **Selections in bold are included in the prices of the basic versions.**
• *Selections in italic are available at an extra price.*

Links: [User guide](#)
[Datasheet](#)
[Vaisala.com product page](#)

Example of order code with typical settings:

		1	2	3	4	5	6
HMP80		N	I	E	1	S	O

accessory

Probe Connection Cable (M12-M12), 1.5 m
Slotted MIM Filter with Membrane Spare Part
Flat Cable, M12-5(M) - M12-5(F), 1m
PPS Plastic Grid Filter
Metal Coated PPS Grid Filter with Stainless Steel Mesh, Female Thread
Slotted MIM Filter Spare Part
Sintered Stainless Steel Filter, Female Thread
Indigo-compatible USB Adapter

item code

Z12076SP
ASM214606SP
CBL210493SP
DRW010276SP
DRW010281SP
DRW255306SP
HM47280SP
USB2

VAISALA

DMP80
Handheld Dew Point Probe



		Sparepart		1	2	3	4	5	6	7	8
Handheld Dew Point Probe		DMP80						A	A	S	O
hardware	1 Probeset	Probe with Range [-70 ... +60°C Td], DRYCAP*180M sensor						B			
		Probe with Range [-40 ... +60 °C Td], DRYCAP*180S Sensor						A			
hardware	2 Thread	Mechanical connection, NPT 1/2" thread						N			
		Mechanical connection, ISO G1/2" thread						G			
accessory	3 Probe connection cables	No Cable						0			
		• <i>M12-M12 Probe Connection Cable</i>	272075SP					1			
		• <i>Flat probe connection cable</i>	CBL210493SP					2	A		
accessory	5 Accessories for ISO G1/2" thread	No Accessories						0			
		• <i>Sampling Cell with Quick Connector and Leak Screw</i>	DSC745P					1			
		• <i>Sampling Cell with Female Connectors, Inlet G3/8", Outlet G1/4" ISO</i>	DMT242SC					2			
		• <i>Sampling Cell with Swagelok Connectors for 1/4" Tubing</i>	DMT242SC2					3			
		• <i>Two-Pressure Sampling Cell</i>	DSC74B					4			
	• <i>Two-Pressure Sampling Cell with Coil</i>	DSC74C					5	A	S	O	

Note: **Selections in bold are included in the prices of the basic versions.**
• *Selections in italic are available at an extra price.*

Links: [User guide](#)
[Datasheet](#)
[Vaisala.com product page](#)

Example of order code with typical settings:
DMP80 **B** **G** **T** **A** **O** **A** **S** **O**

accessory

Probe Connection Cable (M12-M12), 15 m
Flat Cable, M12-5(M) - M12-5(F), 1m
Sampling Cell DMT242SC with Female Connectors, inlet G3/8" & outlet G1/4" ISO
Sampling Cell DMT242SC2 with Swagelok Connectors for 1/4" Tubing
Sampling Cell with Quick Connector and Leak Screw
Two Pressure Sampling Cell
Two Pressure Sampling Cell with Coil
Sintered Stainless Steel Filter, Female Thread
Indigo-compatible USB Adapter

item code

272075SP
CBL210493SP
DMT242SC
DMT242SC2
DSC74
DSC74B
DSC74C
HM47290SP
USB2

VAISALA

GMP252

CO2 Probe for ppm Measurements



Sparepart

1 2 3 4 5 6 7 8

accessory	CO2 Probe for ppm Measurements		GMP252	6	1	C	0	B	H	3	
	6	Cable	No Cable							0	
			<ul style="list-style-type: none"> <i>M12-M12 Probe Connection Cable (Indigo80)</i> <i>Flat Probe Connection Cable (Indigo80)</i> 	272075SP							8
											9
											H
											3

Note: **Selections in bold are included in the prices of the basic versions.**
 • *Selections in italic are available at an extra price.*

Links: [User guide](#)
[Datasheet](#)
[Vaisala.com product page](#)
[Services \(online store\)](#)

Example of order code with typical settings:

GMP252	1	2	3	4	5	6	7	8
	6	1	C	0	B	H	3	

accessory
 Flat Cable, M12-5(M) - M12-5(F), 1m
 Indigo-compatible USB Adapter
 Probe Connection Cable (M12-M12), 1.5 m
 Magnetic Hanger Spare Part
 GMP252 Handle Spare Part
 GMP252 Handle with Magnetic Hanger

item code
 CBL210493SP
 USB2
 272075SP
 ASM214318SP
 ASM214342SP
 GMP252HANDLESP

VAISALA

GMP80P Portable CO2 Probe with Pump Sampling



		Sparepart		1	2	3	4	5	6	7	8
Portable CO2 Probe with Pump Sampling		GMP80P								O	A
1 Probe	• High CO2 Concentration Range Probe (GMP251) with Pump Sampling			A							
	• No CO2 probe, only pump sampling system			B							
2 Calibration		No Calibration									0
		Standard Factory Calibration									1
3 Sampling Mechanics	• Sampling pipe (stainless steel), 100 mm (3.94 in)	DRW25915BSP									A
	• Polyurethane Sampling Tube, Length 1.5 m	279471SP									B
	• Nafion™ Membrane Tube and PUR Sampling Tube, Length 2.1 m	GMTUBESP									C
		No sampling mechanics									N
4 Probe Connection Cable		No Probe Cable									0
	• M12-M12 1.5 m probe connection cable for Indigo80	Z72075SP									I
5 Service Cable		No Service Cable									N
	• USB Service Cable for insight PC SW	USB2									A
8 Accessories		No Accessories									0
	• Barbed Fitting for Gas Outlet	Z79524SP									I

Note:	<p>Selections in bold are included in the prices of the basic versions.</p> <ul style="list-style-type: none"> • Selections in <i>italic</i> are available at an extra price.
Links:	<p>User guide</p> <p>Datasheet</p>

accessory

Probe Connection Cable (M12-M12), 1.5 m
 Magnetic Hanger
 Indigo-compatible USB Adapter
 Sampling pipe (stainless steel), 100 mm (3.94 in)
 Sampling tube (Nafion membrane and PUR), 2.1 m (6 ft 11 in)
 Sampling tube (Nafion membrane), 0.6 m (1 ft 12 in)
 Sampling tube (PUR), 1.5 m (4 ft 11 in)
 Adapter for sampling tube
 Barbed fitting for gas outlet

item code

Z72075SP
 ASM214318SP
 USB2
 DRW25915BSP
 GMTUBESP
 212807SP
 279473SP
 279473SP
 Z79524SP

Example of order code with typical settings:

		1	2	3	4	5	6	7	8
GMP80P		A	1	A	I	N	O	A	O